Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	878	714/15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:19
S21	4078	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:20
S22	485	state with server and ((back\$up takeover) same recover\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:25
S23	35	(S19 S21) and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:23
S24	117	state with server and ((back\$up takeover) same recover\$4) and re\$boot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:34
S25	4	(S19 S21) and S22 and S24	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:26
S26	4	(S19 S21) and S24	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:26
S27	5	state with server and (determin\$4 same (back\$up takeover) same recover\$4 same re\$boot\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:34
S28	1125	714/15,23.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:27
S29	4078	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:27
S30	39	determin\$4 with server same (fail\$over take\$over back\$up fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 10:59

S31	2	(S28 S29) and S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:30
S32	138	(determin\$4 decid\$4) with server same (fail\$over take\$over back\$up fail\$back redundant switch\$over) same (recover\$\$ re\$boot re\$start re\$initi\$8 cycl\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:56
S33	51127	"714"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:56
S34	50	S32 AND S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 15:56
S38	2795	714/4,15,23,24.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2006/01/06 10:59
S39	3433	713/1,2,100.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 10:59
S40	4078	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 10:59
S41	19	(determin\$4 with server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) and mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:02
S42	42	(determin\$4 with server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ÓR	OFF	2006/01/06 11:03
S43	9	(S38 S39 S40) and S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:02
S44	418	server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:13

r			T			
S45	56	(S38 S39 S40) and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:03
S46	139	(server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) and session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:14
S47	418	(server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:15
S48	88	(server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4) same (mode\$8 flag\$1 bit variable\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:18
S49	2	(S38 S39 S40) and S48 and session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 11:18
S50	20	(S38 S39 S40) and S47 and session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:35
S51	3169	714/4,13,15,23,24.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:35
S52	4078	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:36
S53	18734	(hard soft cold) with (fail\$6 boot\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 13:16
S54	264	(S51 S52) and S53	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:37
S55	3731510	(determin\$4 mode\$6 flag bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:38

S56	256	S54 and S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:38
S57	3698	S53 same S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:39
S58	24816	(back\$up re\$boot) same S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:40
S59	. 780	(back\$up re\$boot) same S53	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:40
S60	51	(S51 S52) and S59 and S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 12:41
S61	45	determin\$3 with (hard soft cold) with (fail\$6 boot\$) same (back\$up re\$boot\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 13:35
S62	3169	714/4,13,15,23,24.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 13:18
S63	2	S61 and S62	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2006/01/06 13:18
S64	27	determin\$3 with (hard soft cold) near2 (fail\$6 boot\$) same (back\$up re\$boot\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 13:35
S65	27	determin\$3 with ((hard soft cold) near2 (fail\$6 boot\$)) same (back\$up re\$boot\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 14:03
S66	. 7	determin\$3 with ((hard soft cold) near2 (fail\$6 boot\$)) same back\$up same re\$boot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/06 14:03
S67	2	(("5720029") or ("5504883")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/07 08:42

S68	1	"20020002448"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/09 11:28
S69	1	"20020002 44 8"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/31 10:34
S70	1	"6397345".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/09 11:26
S71	10001	709/224,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:09
S73	5130	714/2,4,11,12,13,15,23,24.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:11
S74	1012	persistent near2 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:12
S75	182	persistent near2 connection same session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:15
S76	5204	server same recovery	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:12
S77	0	(S71 and S73) and S75 and S76	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:13
S78	. 2	(S71 S73) and S75 and S76	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:13
S79	1012	persistent near2 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17
S80	691	re\$establish\$4 near5 session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:16

			•		,	
S81	35	S79 and S80	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2006/12/05 13:34
S82	114	hot near2 boot	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:16
S83	761	(cold hot) near2 boot	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:16
S84	572	persistent near2 connection same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17
S86	121	persistent near2 connection same server same session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:21
S87	25	S80 and S84	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:34
S88	393	(persistent near2 connection same server) and session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:22
S89	81	S76 and S88	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:22
S90	19	(S71 S73) and S89	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:22
S91	12	("5249292" "5598410" "5781910" "5881229" "5887146" "5938776" "5941972" "6032190" "6041381" "6247060" "6256740" "6393466").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/05 13:29
S92	1	("6985956").URPN.	USPAT	OR	OFF	2006/12/05 13:33
S93	1	S83 and S84	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:34

S94	5130	714/2,4,11,12,13,15,23,24.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:30
S95	10001	709/224,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:30
S96	572	persistent near2 connection same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:30
S97	224	persistent near2 connection\$1 same session\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:31
S98	0	S94 and S95 and S97	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:31
S99	1	S94 and S95 and S96	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:31
S10 0	86	(S94 S95) and S96	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:31
S10 1	34	(S94 S95) and S97	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:37
S10 2	24225	(hot cold) same (re\$boot\$3 recovery take\$over back\$up spare)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:39
S10 3	504	server same (hot cold) same (re\$boot\$3 recovery take\$over back\$up spare)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ·	OFF	2006/12/05 14:39
S10 4	0	S97 and S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:39
S10 5	14532	server same (re\$boot\$3 recovery take\$over back\$up spare)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:40

S10 6	34	S97 and S105	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 14:40
S10 7	13	S96 and S102	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 15:32
S10 9	1	"6119244".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/09 09:04
S11 0	1	"6496942".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/09 09:05
S11 1	32	(ROWE near2 ALAN).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/09 09:05
S11 2	3	S111 and session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/09 09:05